© C	terial Composit Copyright 2005. IPC, I rnational and Pan-Arr	Bannockb	urn, Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a decla he declaratio	ration o on encor	of the substan mpasses all lo	ces with	in the manufac el materials for	turer listed i which the n	tem. N nanufa	lote: if th cturer ha	ne item is an as as engineering	sembly with lowe responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Ty http://www.ipc.org/IPC-175x Distribut				Form Type Distribute	 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater 					erials and M	ials and Mfg Information				
Supplier Information	1															
Company name*			Company unique ID			Unique ID Authority					Respon	Response Date*				
onsemi										2023-06	2023-06-08					
Contact Name			Title - Contact]	Phone - Contact*					Email -	Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA					Produc	Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative			Phone - Representative*				Email -	Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance				NA				Produc	Product-Env-Stewards@onsemi.com				
Requester Item	Requester Item Number Mfr Item FSUSB11						Effective Date Version Manufacturing Site 2023-06-08 TH2		'ersion	Manu	Manufacturing Site		Weigh	t*	UOM	Unit Type
											8.813692		mg	Each		
Manufacturing Proce	cess Information			1			1			- I					1	1
Terminal Plating	Terminal Plating / Grid Array Material		erminal Base A	minal Base Alloy J-STD-0		L Rating	Peak Proc		ss Body Temperature Max Time a		lax Time at Pea	eak Temperature		Number of Reflow Cycles		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			CU Alloy 1		1		260		C	3	30		seconds 3			
Comments																
evel 1 - maximum time at	peak temperature d	uring sol	dering is 10-3	0 seconds												
or more information reg	arding material com	position p	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.1186	mg	Supplier	Silicon (Si)	7440-21-3		2.1186	mg
Die Attach	0.016	mg	Supplier	Bis-phenol A Diglycidyl Ether	1675-54-3		0.0032	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0096	mg
			Supplier	2,4,6-Tris[Bis(Methoxymethyl)Amino]- 1,3,5-Triazine	3089-11-0		0.0032	mg
Mold Compound-Black	4.45	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.6675	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0222	mg
			Supplier	Silica (SiO2)	14464-46-1		3.7602	mg
Plating	0.02495	mg	В	Nickel (Ni)	7440-02-0		0.0205	mg
			Supplier	Gold (Au)	7440-57-5		0.0045	mg
Substrate	2.12415	mg	Supplier	Bismaleimide	13676-54-5		1.0461	mg
			Supplier	Cyanic acid (1-methylethylidene)di-4,1- phenylene ester homopolymer	25722-66-1		0.6797	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.054	mg
			В	Nickel (Ni)	7440-02-0		0.0212	mg
			Supplier	Gold (Au)	7440-57-5		0.0045	mg
			Supplier	Copper (Cu)	7440-50-8		0.3186	mg
Wire Bond - Au	0.079992	mg	Supplier	Gold (Au)	7440-57-5		0.08	mg